



# Analog Devices Welcomes Hittite Microwave Corporation

NO CONTENT ON THE ATTACHED DOCUMENT HAS CHANGED



## **HMC460\* Product Page Quick Links**

Last Content Update: 11/01/2016

#### Comparable Parts

View a parametric search of comparable parts

#### Evaluation Kits <a> □</a>

• HMC460LC5 Evaluation Board

#### Documentation <a>□</a>

#### **Application Notes**

- Broadband Biasing of Amplifiers General Application Note
- MMIC Amplifier Biasing Procedure Application Note
- Thermal Management for Surface Mount Components General Application Note

#### **Data Sheet**

• HMC460 Die Data Sheet

#### Tools and Simulations

- HMC460 Die S-Parameters
- HMC460LC5 S-Parameters

#### Reference Materials -

#### **Quality Documentation**

- Package/Assembly Qualification Test Report: LC5, LC5A (QTR: 2014-00384 REV: 01)
- Semiconductor Qualification Test Report: PHEMT-F (QTR: 2013-00269)

## Design Resources <a> □</a>

- HMC460 Material Declaration
- PCN-PDN Information
- · Quality And Reliability
- · Symbols and Footprints

#### Discussions 4

View all HMC460 EngineerZone Discussions

#### Sample and Buy -

Visit the product page to see pricing options

#### Technical Support -

Submit a technical question or find your regional support number

<sup>\*</sup> This page was dynamically generated by Analog Devices, Inc. and inserted into this data sheet. Note: Dynamic changes to the content on this page does not constitute a change to the revision number of the product data sheet. This content may be frequently modified.








#### **Typical Applications**

The HMC460 is ideal for:

- Telecom Infrastructure
- Microwave Radio & VSAT
- Military & Space
- Test Instrumentation



#### **Features**

Noise Figure: 2.5 dB @ 10 GHz

Gain: 14 dB @ 10 GHz

P1dB Output Power: +16 dBm @ 10 GHz

Supply Voltage: +8V @ 60 mA 50 Ohm Matched Input/Output Die Size: 3.12 x 1.63 x 0.1 mm

#### **General Description**

The HMC460 is a GaAs MMIC PHEMT Low Noise Distributed Amplifier die which operates between DC and 20 GHz. The amplifier provides 14 dB of gain, 2.5 dB noise figure and +16 dBm of output power at 1 dB gain compression while requiring only 60 mA from a +8V supply. The HMC460 amplifier can easily be integrated into Multi-Chip-Modules (MCMs) due to its small size. All data is with the chip in a 50 Ohm test fixture connected via 0.025mm (1 mil) diameter wire bonds of minimal length 0.31mm (12 mils).

#### Electrical Specifications, $T_A = +25^{\circ}$ C, Vdd= 8V, Idd= 60 mA\*


Parameter	Min.	Тур.	Max.	Min.	Тур.	Max.	Min.	Тур.	Max.	Units
Frequency Range	DC - 6.0		6.0 - 18.0			18.0 - 20.0			GHz	
Gain	12	14		12	14		11	13		dB
Gain Flatness		± 0.5			± 0.15			± 0.25		dB
Gain Variation Over Temperature		0.008	0.016		0.01	0.02		0.01	0.02	dB/ °C
Noise Figure		4.0	5.0		2.5	3.5		3.0	4.0	dB
Input Return Loss		17			22			15		dB
Output Return Loss		17			15			15		dB
Output Power for 1 dB Compression (P1dB)	14	17		13	16		12	15		dBm
Saturated Output Power (Psat)		18			18			17		dBm
Output Third Order Intercept (IP3)		27.5			28			27		dBm
Supply Current (Idd) (Vdd= 8V, Vgg1= -0.9V Typ.)		60			60			60		mA

<sup>\*</sup> Adjust Vgg between -2 to 0V to achieve Idd= 60 mA typical.







#### **Broadband Gain & Return Loss**




#### Gain vs. Temperature




#### Input Return Loss vs. Temperature




**Output Return Loss vs. Temperature** 



#### Low Frequency Gain & Return Loss




#### Noise Figure vs. Temperature









#### Output P1dB vs. Temperature




#### Psat vs. Temperature




#### Output IP3 vs. Temperature



Gain, Power & Noise Figure vs. Supply Voltage @ 10 GHz, Fixed Vgg1



#### Reverse Isolation vs. Temperature







#### **Absolute Maximum Ratings**

Drain Bias Voltage (Vdd)	+9 Vdc
Gate Bias Voltage (Vgg)	-2 to 0 Vdc
Gate Bias Voltage (Igg)	2.5 mA
RF Input Power (RFIN)(Vdd = +8 Vdc)	+18 dBm
Channel Temperature	175 °C
Continuous Pdiss (T = 85 °C) (derate 24 mW/°C above 85 °C)	2.17 W
Thermal Resistance (channel to die bottom)	41.5 °C/W
Storage Temperature	-65 to +150 °C
Operating Temperature	-55 to +85 °C


#### Typical Supply Current vs. Vdd

Vdd (V)	ldd (mA)
+7.5	59
+8.0	60
+8.5	62



**ELECTROSTATIC SENSITIVE DEVICE OBSERVE HANDLING PRECAUTIONS** 

#### **Outline Drawing**



#### Die Packaging Information [1]

Standard	Alternate
GP-1 (Gel Pack)	[2]

[1] Refer to the "Packaging Information" section for die packaging dimensions.

[2] For alternate packaging information contact Hittite Microwave Corporation.

- 1. ALL DIMENSIONS IN INCHES [MILLIMETERS]
- 2. NO CONNECTION REQUIRED FOR UNLABELED BOND PADS
- 3. DIE THICKNESS IS 0.004 (0.100)
- 4. TYPICAL BOND PAD IS 0.004 (0.100) SQUARE 5. BACKSIDE METALLIZATION: GOLD
- 6. BACKSIDE METAL IS GROUND
- 7. BOND PAD METALIZATION: GOLD






#### **Pad Descriptions**

Pad Number	Function	Description	Interface Schematic		
1	RFIN	This pad is DC coupled and matched to 50 Ohms.	RFIN ACG2		
2	Vdd	Power supply voltage for the amplifier. External bypass capacitors are required			
3	ACG1	Low frequency termination. Attach bypass capacitor per application circuit herein.	ACG1 RFOUT		
4	RFOUT	This pad is DC coupled and matched to 50 Ohms.			
5	ACG2	Low frequency termination. Attach bypass capacitor per application circuit herein.	RFIN ACG2		
6	Vgg	Gate control for amplifier. Adjust to achieve Idd= 60 mA.	Vgg O		
Die Bottom	GND	Die bottom must be connected to RF/DC ground.	GND		





#### **Assembly Diagram**







#### Mounting & Bonding Techniques for Millimeterwave GaAs MMICs

The die should be attached directly to the ground plane eutectically or with conductive epoxy (see HMC general Handling, Mounting, Bonding Note).

50 Ohm Microstrip transmission lines on 0.127mm (5 mil) thick alumina thin film substrates are recommended for bringing RF to and from the chip (Figure 1). If 0.254mm (10 mil) thick alumina thin film substrates must be used, the die should be raised 0.150mm (6 mils) so that the surface of the die is coplanar with the surface of the substrate. One way to accomplish this is to attach the 0.102mm (4 mil) thick die to a 0.150mm (6 mil) thick molybdenum heat spreader (moly-tab) which is then attached to the ground plane (Figure 2).

Microstrip substrates should be located as close to the die as possible in order to minimize bond wire length. Typical die-to-substrate spacing is 0.076mm to 0.152 mm (3 to 6 mils).

#### **Handling Precautions**

Follow these precautions to avoid permanent damage.

Storage: All bare die are placed in either Waffle or Gel based ESD protective containers, and then sealed in an ESD protective bag for shipment. Once the sealed ESD protective bag has been opened, all die should be stored in a dry nitrogen environment.

Cleanliness: Handle the chips in a clean environment. DO NOT attempt to clean the chip using liquid cleaning systems.

Static Sensitivity: Follow ESD precautions to protect against > ± 250V ESD strikes.

Transients: Suppress instrument and bias supply transients while bias is applied. Use shielded signal and bias cables to minimize inductive pick-up.

General Handling: Handle the chip along the edges with a vacuum collet or with a sharp pair of bent tweezers. The surface of the chip may have fragile air bridges and should not be touched with vacuum collet, tweezers, or fingers.

Mounting


The chip is back-metallized and can be die mounted with AuSn eutectic preforms or with electrically conductive epoxy. The mounting surface should be clean and flat.


Eutectic Die Attach: A 80/20 gold tin preform is recommended with a work surface temperature of 255 °C and a tool temperature of 265 °C. When hot 90/10 nitrogen/hydrogen gas is applied, tool tip temperature should be 290 °C. DO NOT expose the chip to a temperature greater than 320 °C for more than 20 seconds. No more than 3 seconds of scrubbing should be required for attachment.

Epoxy Die Attach: Apply a minimum amount of epoxy to the mounting surface so that a thin epoxy fillet is observed around the perimeter of the chip once it is placed into position. Cure epoxy per the manufacturer's schedule.

#### Wire Bonding

Ball or wedge bond with 0.025mm (1 mil) diameter pure gold wire. Thermosonic wirebonding with a nominal stage temperature of 150 °C and a ball bonding force of 40 to 50 grams or wedge bonding force of 18 to 22 grams is recommended. Use the minimum level of ultrasonic energy to achieve reliable wirebonds. Wirebonds should be started on the chip and terminated on the package or substrate. All bonds should be as short as possible <0.31mm (12 mils).









Notes:

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Analog Devices Inc.:

HMC460LC5TR HMC460LC5